EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		("5818437").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/03/15 23:20
		S4 and map$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/15 23:20
		(US-20020129012-$).did.	US-PGPUB	OR	OFF	2009/03/15 23:20
		t9.rtm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 19:11
		S48 and "707".CLASS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:35
		S40 and key$6	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:28
		S40 and key$	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:27
L1	11	(US-20020124003-$ or US-20020129012-$ or US-20030187856-$ or US-20040073550-$ or US-20030014753-$ or US-20040095327-$ or US-20040177179-$).did. or (US-6493761-$ or US-6724330-$ or US-7159191-$ or US-5818437-$).did.	US-PGPUB; USPAT	OR	OFF	2009/03/16 09:15
L2	8	1 and ("contact" or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 09:15
L3	5	2 and (keypad or keyboard)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 09:17

L4	135	("5818437").URPN.	USPAT	OR	OFF	2009/03/16 09:19
L5	85	L4 and @ad<"20031116"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/16 09:19
L6	13	L5 and (match$4 with (string or text or word) with number)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/16 09:19
L7	8	2 and ("contact" or address or phone)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 09:19
L8	8	2 and (contact or address or phone)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 09:19
L9	76	5 and ("contact" or address or phone)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 09:22
L10	89827	"76" and (keypad or keyboard)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 09:23
L11	75	9 and (keypad or keyboard)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/16 09:23
S1	2987	character with string with search$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/26 14:16
S2	127	S1 and (pre$1fix$3 with search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/08 10:32
S3	24	S2 and (map$4 with character$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/08 10:48
S4	1	(US-20020129012-$).did.	US-PGPUB	OR	OFF	2006/08/08 10:48
S5	1	S4 and map$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/08 10:49
S6	1	(US-20020129012-$).did.	US-PGPUB	OR	OFF	2006/08/08 16:17

S7	1	S6 and stor$3	US-PGPUB	OR	OFF	2006/08/08 16:29
S8	1	S6 and (search$3 with string)	US-PGPUB	OR	OFF	2006/08/08 17:01
S9	1	S6 and (append$3 or add $3)	US-PGPUB	OR	OFF	2006/08/08 17:01
S10	1	S6 and (append$3 or add $3)	US-PGPUB	OR	ON	2006/08/08 17:08
S11	1	S6 and (search$3 with pre $1fix$3)	US-PGPUB	OR	ON	2006/08/08 17:08
S12	1	(US-20020129012-$).did.	US-PGPUB	OR	OFF	2006/08/09 09:19
S13	0	S12 and (mapp$3 with (string or charaters))	US-PGPUB	OR	ON	2006/08/09 09:19
S14	1	S12 and mapp$3	US-PGPUB	OR	ON	2006/08/09 09:39
S15	0	S12 and input	US-PGPUB	OR	ON	2006/08/09 09:39
S16	1	S12 and device	US-PGPUB	OR	ON	2006/08/09 09:40
S17	1	S12 and enter$3	US-PGPUB	OR	ON	2006/08/09 09:51
S18	1	S12 and (mapp$3 with table)	US-PGPUB	OR	ON	2006/08/09 10:27
S19	0	S12 and display$3	US-PGPUB	OR	ON	2006/08/09 10:28
S20	0	S12 and output$4	US-PGPUB	OR	ON	2006/08/09 10:28
S21	0	S12 and interface	US-PGPUB	OR	ON	2006/08/09 10:28
S22	5	(US-20020124003-$ or US-20040073550-$ or US-20030187856-$ or US-20020129012-$).did. or (US-6724330-$).did.	US-PGPUB; USPAT	OR	OFF	2006/08/09 14:22
S23	5	(US-20020124003-$ or US-20040073550-$ or US-20030187856-$ or US-20020129012-$).did. or (US-6724330-$).did.	US-PGPUB; USPAT	OR	OFF	2006/08/09 14:22
S24	0	S22 and (display$3 with (character or string))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/09 14:37
S25	1	S22 and display$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/09 14:24

S26	2987	character with string with search$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/09 14:37
S27	127	S26 and (pre$1fix$3 with search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/09 14:37
S28	24	S27 and (map$4 with character$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/09 14:37
S29	6	S28 and (display$3 with (character or string))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/09 14:38
S30	1	(US-20020129012-$).did.	US-PGPUB	OR	OFF	2006/08/09 17:21
S31	1	S30 and (storage or data $1base)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/09 17:24
S32	1	S30 and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/09 17:24
S33	1	S30 and (processor with search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/09 17:25
S34	1	("20050114312").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/23 12:39
S35	1	S34 and mapp$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/23 12:39
S36	1	("20050114312").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/06/26 14:16
S37	0	("1andkey").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/06/26 14:16
S38	1	S36 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/26 14:18

S39	1	S36 and (key with unique)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/26 14:19
S40	6	(US-20030187856-$ or US-20040073550-$ or US-20020129012-$ or US-20020124003-$).did. or (US-6493761-$ or US-6724330-$).did.	US-PGPUB; USPAT	OR	OFF	2007/06/26 14:26
S41	0	S40 and key$1pad	US-PGPUB; USPAT	OR	OFF	2007/06/26 14:26
S42	0	S40 and key$1pad	US-PGPUB; USPAT	OR	ON	2007/06/26 14:27
S43	0	S40 and key$1pad	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:27
S44	0	S40 and keypad	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:27
S45	3	S40 and key$4	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:29
S46	1	(US-20020129012-$).did.	US-PGPUB	OR	OFF	2007/06/26 14:31
S47	1	S46 and unique	US-PGPUB	OR	OFF	2007/06/26 14:35
S48	1725	pre$1fix with search$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:35
S49	468	S48 and "707".CLAS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:36
S50	237	S49 and query	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:36
S51	10	S50 and keypad and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:38

S52	12	S49 and keypad and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:40
S53	8580852	S52 no S51	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:39
S54	2	S52 not S51	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:39
S55	48	S48 and keypad and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:41
S56	12	S55 and (key same unique)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:41
S57	6	S55 and (key with unique)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:49
S58	1	(US-20030014753-$).did.	US-PGPUB	OR	OFF	2007/06/26 15:31
S59	1	S58 and display$3	US-PGPUB	OR	OFF	2007/06/26 15:31
S60	1	S58 and display$3	US-PGPUB	OR	ON	2007/06/26 15:31
S61	1	S60 and (key with unique)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:50
S62	1	S60 and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:51
S63	1	S58 and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:51
S64	1	(US-20020129012-$).did.	US-PGPUB	OR	OFF	2007/11/29 11:42

S65	1	(US-20030014753-$).did.	US-PGPUB	OR	OFF	2007/11/29 11:42
S66	2	S64 S65	US-PGPUB; USPAT	OR	OFF	2007/11/29 12:06
S67	1	S66 and (keypad or key)	US-PGPUB; USPAT	OR	ON	2007/11/29 11:43
S68	1	S66 and (keypad or key or keyboard)	US-PGPUB; USPAT	OR	ON	2007/11/29 11:43
S69	0	"touch tone phone keypad".TI.	US-PGPUB; USPAT	OR	ON	2007/11/29 12:07
S70	0	"touch tone phone keypad".ab.	US-PGPUB; USPAT	OR	ON	2007/11/29 12:08
S71	112	touch$1tone with phone with keypad	US-PGPUB; USPAT	OR	ON	2007/11/29 13:01
S72	0	(touch$1tone with phone with keypad) near alphanumeric	US-PGPUB; USPAT	OR	ON	2007/11/29 12:58
S73	3	(touch$1tone with phone with keypad) same alphanumeric	US-PGPUB; USPAT	OR	ON	2007/11/29 12:58
S74	10	S71 and (key with (letter or alphanumeric$3 or alphabet))	US-PGPUB; USPAT	OR	ON	2007/11/29 13:11
S75	1	("4427848").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/11/29 13:11
S76	3	(US-20020124003-$ or US-20040073550-$ or US-20030187856-$ or US-20020129012-$).did. or (US-6724330-$).did.	US-PGPUB; USPAT	OR	OFF	2008/08/30 16:31
S77	3	(US-20020124003-$ or US-20040073550-$ or US-20030187856-$ or US-20020129012-$).did. or (US-6724330-$).did.	US-PGPUB; USPAT	OR	OFF	2008/08/30 16:31
S78	1	S77 and display$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/08/30 16:31
S79	2102	pre$1fix with search$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/30 16:31
S80	665	S79 and "707".CLAS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/30 16:31

S81	322	S80 and query	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/30 16:31
S82	17	S81 and keypad and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/30 16:31
S83	3	(touch$1tone with phone with keypad) same alphanumeric	US-PGPUB; USPAT	OR	ON	2008/08/30 16:31
S84	1	(US-20020129012-$).did.	US-PGPUB	OR	OFF	2008/09/02 10:22
S85	1	S84 and (search$3 with string)	US-PGPUB	OR	OFF	2008/09/02 10:22
S86	4176	character with string with search$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/09/02 10:22
S87	206	S86 and (pre$1fix$3 with search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/09/02 10:22
S88	32	S87 and (map$4 with character$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/09/02 10:22
S89	3	(US-20020124003-$ or US-20040073550-$ or US-20030187856-$ or US-20020129012-$).did. or (US-6724330-$).did.	US-PGPUB; USPAT	OR	OFF	2008/09/02 10:23
S90	25	"letterwise"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:05
S91	28	letter$1wise and (key$1pad or key$1board)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:06
S92	5	S91 and @ad< "20031116"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:06

S93	2057	"t9" and (key$1pad or key$1board)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 19:10
S94	0	"t9.rtm." and (key$1pad or key$1board)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 19:11
S95	0	"t9.rtm."	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 19:11
S96	948	S93 and @ad<"20031116"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 19:11
S97	65	S96 and ("t9" same (key$1pad or key$1board))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 19:12
S98	13	S96 and "Tegic Communications"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 19:14
S99	1	("5818437").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/03/15 19:19
S100	135	("5818437").URPN.	USPAT	OR	OFF	2009/03/15 19:20
S101	85	S100 and @ad<"20031116"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 19:21
S102	13	S101 and (match$4 with (string or text or word) with number)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/03/15 19:21

3/16/2009 9:49:40 AM
C:\ Documents and Settings\ gcolan\ My Documents\ EAST\ Workspaces\ case10722987.wsp